```
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
              56 REFERENCES IN FILE CA (1962 TO DATE)
              56 REFERENCES IN FILE CAPLUS (1962 TO DATE)
    ANSWER 3 OF 3 REGISTRY COPYRIGHT 2003 ACS
RN
     475-71-8 REGISTRY
     Benzo[h]benz[5,6]acridino[2,1,9,8-klmna]acridine-8,16-dione (9CI)
CN
     INDEX NAME)
OTHER CA INDEX NAMES:
    Flavanthrone (6CI, 7CI, 8CI)
OTHER NAMES:
     C.I. 70600
CN
     C.I. Pigment Yellow 112
CN
CN
     C.I. Pigment Yellow 24
     C.I. Vat Yellow 1
CN
     Caledon Paper Yellow GN
CN
     Caledon Printing Yellow GN
CN
     Caledon Yellow GN
CN
     Carbanthrene Printing Yellow G
CN
     Carbanthrene Yellow G
CN
CN
     Cibanone Yellow FGN
     Cromophtal Yellow A 2R
CN
CN
     Flavanthrene
     Flavanthrone Yellow
CN
     Indanthren Yellow G
CN
     Indanthren Yellow GLP
CN
CN
     Indanthrene Yellow G
CN
     Indo Yellow Y 35
CN
     Indofast Yellow
     Indofast Yellow Toner
CN
     Mikethrene Yellow G
CN
     Monolite Fast Yellow FR
CN
     Monolite Fast Yellow FRS
CN
     Monolite Yellow FR
CN
     Palanthrene Yellow G
     Paliogen Yellow 1870
     Paliogen Yellow L 1870
     Paradone Yellow G New
CN
     Pigment Yellow 24
CN
     Ponsol Yellow G
CN
     Ponsol Yellow GD
CN
CN
     Romantrene Yellow FG
     Sandothrene NGN
CN
     Sandothrene Yellow GN
CN
     Sandothrene Yellow NG
CN
     Solanthrene Yellow J
CN
CN
     Tinon Yellow GN
     Tyrian Yellow I-G
CN
     Vat Yellow 1
CN
FS
     3D CONCORD
     82601-32-9, 52907-35-4
DR
MF
     C28 H12 N2 O2
CI
     COM
                  AGRICOLA, BEILSTEIN*, CA, CAOLD, CAPLUS, CHEMCATS, CHEMLIST,
     STN Files:
LC
        CIN, CSCHEM, IFICDB, IFIPAT, IFIUDB, MSDS-OHS, SPECINFO, TOXCENTER,
       USPATFULL
```

(*File contains numerically searchable property data) DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)

Other Sources:

```
C.I. 77330/CN
                1
. E9
                      C.I. 77332/CN
                1
   E10
                      C.I. 77335/CN
               1
   E11
                      C.I. 77339/CN
                1
   E12
   => s e3
                1 "C.I. 77310"/CN
   L8
   => d
        ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS
   L8
        68186-90-3 REGISTRY
   RN
        C.I. Pigment Brown 24 (9CI) (CA INDEX NAME)
   CN
   OTHER NAMES:
        C.I. 77310
   CN
        Chrome antimony titanate buff
   CN
        Chrome antimony titanium buff rutile
   CN
        Chrome titanium yellow
   CN
        Daipyroxide Yellow 9150
    CN
        Daipyroxide Yellow 9151
    CN
        Ferro Bright Golden Yellow V 9140
    CN
        Honey Yellow 29
    CN
        Irgacolor Yellow 10408
    CN
        Light Yellow 3R
    CN
        Light Yellow 5R
    CN
        Light Yellow 62R
    CN
        Light Yellow 6R
    CN
        Meteor Yellow Buff
    CN
        Pigment Brown 24
    CN
         Sicotan Yellow K 2011
         Sicotan Yellow K 2111
    CN
         Sicotan Yellow K 2112
    CN
         Sicotan Yellow L 1910
    CN
         Sicotan Yellow L 1912
    CN
    DEF An inorganic pigment that is the reaction product of high temperature
         calcination in which titanium (IV) oxide, chromium (III) oxide and
         antimony oxide in varying amounts are homogeneously and ionically
         interdiffused to form a crystalline matrix of rutile. Its composition
    may
         include any one or a combination of the modifiers Al203, MnO, NiO, WO3,
    or
         ZnO. This substance is identified in the COLOUR INDEX by Colour Index
         Constitution Number, C.I. 77310.
         68859-62-1, 72779-94-3, 72779-95-4, 146908-55-6, 179606-69-0
    DR
    MF
         Unspecified
    CI
         MAN
                      CA, CAPLUS, CHEMLIST, CIN, MEDLINE, MSDS-OHS, NIOSHTIC,
    LC
         STN Files:
           PROMT, TOXCENTER, ULIDAT, USPATFULL
         Other Sources: DSL**, EINECS**, TSCA**
              (**Enter CHEMLIST File for up-to-date regulatory information)
    *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
                  43 REFERENCES IN FILE CA (1962 TO DATE)
                  43 REFERENCES IN FILE CAPLUS (1962 TO DATE)
    => d hist
          (FILE 'HOME' ENTERED AT 15:26:21 ON 31 MAR 2003)
```

FILE 'REGISTRY' ENTERED AT 15:26:32 ON 31 MAR 2003 E C.I.PIGMENT YELLOW 24/CN E C.I. PIGMENT YELLOW 24/CN

L11

L12

L13

(FILE 'HOME' ENTERED AT 15:26:21 ON 31 MAR 2003) FILE 'REGISTRY' ENTERED AT 15:26:32 ON 31 MAR 2003 E C.I.PIGMENT YELLOW 24/CN E C.I. PIGMENT YELLOW 24/CN E C.I. PIGMENT YELLOW AND (24 OR 53 OR 164) E C.I. PIGMENT YELLOW AND (24 OR 53 OR 164)/CN E C.I. PIGMENT YELLOW 24/CN OR C.I. PIGMENT YELLOW 53/CN OR C.I E C.I. PIGMENT YELLOW 24/CN 1 S E3 L1E C.I. PIGMENT YELLOW 53/CN 1 S E3 L2E C.I. PIGMENT YELLOW 164/CN 1 S E3 L3 3 S L1 OR L2 OR L3 L4FILE 'CAPLUS' ENTERED AT 15:32:05 ON 31 MAR 2003 21 S L4 AND CELLULOSE L5 3 S L4 AND LYOCELL L6 1 S L4 AND AMINE OXIDE L7 FILE 'REGISTRY' ENTERED AT 15:36:23 ON 31 MAR 2003 FILE 'CAPLUS' ENTERED AT 15:36:24 ON 31 MAR 2003 FILE 'REGISTRY' ENTERED AT 15:39:04 ON 31 MAR 2003 E C.I. 77310/CN 1 S E3 L83 S L2 OR L3 OR L8 L9 FILE 'CAPLUS' ENTERED AT 15:40:56 ON 31 MAR 2003 1 S L9 AND CELLULOSE L10

0 S L9 AND LYOCELL

0 S LYOCELL AND PIGMENT#

3 S L9 AND (RAYON OR PAPER OR COTTON)

| | WEST | 200000000000000000000000000000000000000 |
|---------|---------------------|---|
| | | |
| | Generate Collection | Print |

L1: Entry 6 of 22

File: USPT

Nov 21, 2000

DOCUMENT-IDENTIFIER: US 6149747 A

TITLE: Ceramic marking system with decals and thermal transfer ribbon

Detailed Description Text (4):

The ceramic pigments can be classified generally as transition metal oxides and alkali metal oxides. The most common are characterized as the Spinelle type and the zircon-silicate type pigments. These transition metal oxides and alkali metal oxides must often be used in mixtures with other elements to generate color and vary the color. These are referred to as spectral elements in U.S. Pat. No. 5,340,387 and chromophores in U.S. Pat. No. 3,589,925. The ceramic pigments are used in mixtures to obtain variations in color. Fluxes can also alter color. The number and identity of ceramic pigments varies widely as shown by Smith in U.S. Pat. No. 5,340,387, wherein specific commercial pigments are identified at column 4, lines 15 to 63, and claim 1 therein ranging from phthalocyanine blue to chromophthal scarlet R. Others are identified in Ullman's Encyclopedia of Technical Chemistry 1972, col. 14, page 1 and U.S. Pat. No. 4,927,671 issued to Nawothing.

Detailed Description Text (5):

Other specific examples of ceramic pigments include: the spinelle pigments based on zinc-chromite disclosed in U.S. Pat. No. 5,254,162 issued to Speer et al., the cadmium red-based decorating enamels disclosed in U.S. Pat. No. 4,264,679 issued to Panzarino, the iron-containing zircon-based pigments disclosed in U.S. Pat. No. 3,166,430, issued to Seabright, the zircon pigments disclosed in 3,528,835 issued to Gascon, the vanadium-zirconium based pigments with indium or yttrium oxide disclosed in U.S. Pat. No. 2,875,086, issued to Weyl, the zirconium based stains disclosed in U.S. Pat. No. 4,047,970, issued to Morriss et al., the black cobalt-based pigments disclosed in U.S. Pat. No. 4,205,996, issued to Eppler, the cobalt and aluminum-based pigments disclosed in U.S. Pat. No. 2,644,767, issued to Duncan, the glass stable zirconium-based ceramic pigments disclosed in U.S. Pat. No. 3,847,639, issued to Broll et al., the zirconium-based ceramic pigments disclosed in U.S. Pat. No. 3,589,925 and U.S. Pat. No. 3,573,080 issued to Bell, the grey ceramic pigments based on zircon and disclosed in U.S. Pat. No. 4,486,236 issued to Olby, the spinelles disclosed by Speer et al. in U.S. Pat. No. 5,194,089 at column 2, and the yellow zirconium/praseodymium based pigment disclosed by Seabright.

CLAIMS:

- 8. A process as in claim 1 wherein the ceramic pigment in the image layer comprises a transition metal oxide selected from the group consisting of spinelles and zircon-silicates.
- 15. A process as in claim 10 wherein the ceramic pigment in the image layer comprises a transition metal oxide selected from the group consisting of spinelles and zircon-silicates.

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS
L8
RN
     68186-90-3 REGISTRY
     C.I. Pigment Brown 24 (9CI) (CA INDEX NAME)
CN
OTHER NAMES:
     C.I. 77310
CN
     Chrome antimony titanate buff
CN
     Chrome antimony titanium buff rutile
CN
     Chrome titanium yellow
CN
     Daipyroxide Yellow 9150
CN
     Daipyroxide Yellow 9151
CN
     Ferro Bright Golden Yellow V 9140
CN
CN
     Honey Yellow 29
     Irgacolor Yellow 10408
CN
     Light Yellow 3R
CN
CN
     Light Yellow 5R
     Light Yellow 62R
CN
CN
     Light Yellow 6R
CN
     Meteor Yellow Buff
     Pigment Brown 24
CN
     Sicotan Yellow K 2011
CN
CN
     Sicotan Yellow K 2111
     Sicotan Yellow K 2112
CN
     Sicotan Yellow L 1910
CN
     Sicotan Yellow L 1912
CN
DEF An inorganic pigment that is the reaction product of high temperature
     calcination in which titanium (IV) oxide, chromium (III) oxide and
     antimony oxide in varying amounts are homogeneously and ionically
     interdiffused to form a crystalline matrix of rutile. Its composition
may
     include any one or a combination of the modifiers Al203, MnO, NiO, WO3,
or
           This substance is identified in the COLOUR INDEX by Colour Index
     Constitution Number, C.I. 77310.
     68859-62-1, 72779-94-3, 72779-95-4, 146908-55-6, 179606-69-0
DR
MF
     Unspecified
CI
     MAN
                  CA, CAPLUS, CHEMLIST, CIN, MEDLINE, MSDS-OHS, NIOSHTIC,
LC
     STN Files:
       PROMT, TOXCENTER, ULIDAT, USPATFULL
                     DSL**, EINECS**, TSCA**
     Other Sources:
         (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
```

43 REFERENCES IN FILE CA (1962 TO DATE)

43 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
ANSWER 1 OF 3 REGISTRY COPYRIGHT 2003 ACS
L4
    68412-38-4 REGISTRY
RN
    C.I. Pigment Yellow 164 (9CI) (CA INDEX NAME)
CN
OTHER NAMES:
    C.I. 77899
CN
    Cerdec Brown 10364
CN
    Ferro Brown PK 6086
CN
    Igacolor Brown 10364
CN
    Manganese antimony titanium buff rutile
CN
     Pigment Yellow 164
CN
     Sicotan Brown K 2711
CN
    An inorganic pigment that is the reaction product of high temperature
DEF
     calcination in which antimony oxide, manganese (II) oxide, and titanium
     (IV) oxide in varying amounts are homogeneously and ionically
     interdiffused to form a crystalline matrix of rutile. Its composition
may
     include any one or a combination of the modifiers Al203, Cr203, WO3, or
     ZnO. This substance is identified in the COLOUR INDEX by Colour Index
     Constitution Number, C.I. 77899.
MF
     Unspecified
CI
     MAN
                  CA, CAPLUS, CHEMLIST, MSDS-OHS, TOXCENTER, ULIDAT, USPATFULL
     STN Files:
LC
                     DSL**, EINECS**, TSCA**
     Other Sources:
         (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
               7 REFERENCES IN FILE CA (1962 TO DATE)
               7 REFERENCES IN FILE CAPLUS (1962 TO DATE)
     ANSWER 2 OF 3 REGISTRY COPYRIGHT 2003 ACS
L4
     8007-18-9 REGISTRY
RN
     C.I. Pigment Yellow 53 (8CI, 9CI)
                                       (CA INDEX NAME)
OTHER NAMES:
     Antimony nickel titanium oxide yellow
     C.I. 77788
     Cerdec Yellow 10401
    Daipyroxide Yellow 9121
     Ferro Yellow V 9400
CN
CN
     Irgacolor Yellow 10401
     Levanox Light Yellow 100A
CN
     Light Yellow 7G
CN
     Light Yellow 8G
CN
     Nickel antimony titanate yellow
CN
     Nickel antimony titanium yellow rutile
CN
     Nickel Titanate Yellow V 9400
CN
     NV 9112S
CN
     Pigment Yellow 53
CN
     Sicotan Yellow K 1011
CN
     Titanate Yellow
CN
     This substance is identified in the COLOUR INDEX by Colour Index
DEF
     Constitution Number, C.I. 77788.
      12227-91-7, 71077-18-4, 90552-50-4
DR
MF
     Unspecified
 CI
     MAN
                   CA, CAPLUS, CHEMLIST, CIN, MEDLINE, MSDS-OHS, NIOSHTIC,
     STN Files:
 LC
        PROMT, TOXCENTER, ULIDAT, USPATFULL
                     DSL**, EINECS**, TSCA**
      Other Sources:
          (**Enter CHEMLIST File for up-to-date regulatory information)
```

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

242 REFERENCES IN FILE CA (1962 TO DATE)

19 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

242 REFERENCES IN FILE CAPLUS (1962 TO DATE)

34 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> file reg

| COST IN U.S. DOLLARS | SINCE FILE | TOTAL |
|--|---------------------|------------------|
| COB1 111 0101 10===== | ENTRY | SESSION |
| FULL ESTIMATED COST | 1.67 | 42.55 |
| DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) | SINCE FILE ENTRY | TOTAL SESSION |
| CA SUBSCRIBER PRICE | 0.00 | -1.95 |

FILE 'REGISTRY' ENTERED AT 15:39:04 ON 31 MAR 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 MAR 2003 HIGHEST RN 500991-80-0 DICTIONARY FILE UPDATES: 30 MAR 2003 HIGHEST RN 500991-80-0

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> e c.i. 77310/cn

| E1 | 1 | | 77302/CN |
|----|----|------|----------|
| E2 | 1 | | 77305/CN |
| E3 | 1> | C.I. | 77310/CN |
| E4 | 1 | | 77312/CN |
| E5 | 1 | C.I. | 77320/CN |
| E6 | 1 | | 77322/CN |
| E7 | 1 | C.I. | 77323/CN |
| E8 | 1 | C.I. | 77326/CN |

E C.I. PIGMENT YELLOW AND (24 OR 53 OR 164) E C.I. PIGMENT YELLOW AND (24 OR 53 OR 164)/CN E C.I. PIGMENT YELLOW 24/CN OR C.I. PIGMENT YELLOW 53/CN OR C.I E C.I. PIGMENT YELLOW 24/CN 1 S E3 L1 E C.I. PIGMENT YELLOW 53/CN 1 S E3 L2E C.I. PIGMENT YELLOW 164/CN 1 S E3 L3 3 S L1 OR L2 OR L3 1.4 FILE 'CAPLUS' ENTERED AT 15:32:05 ON 31 MAR 2003 21 S L4 AND CELLULOSE L5 L6 3 S L4 AND LYOCELL L7 1 S L4 AND AMINE OXIDE FILE 'REGISTRY' ENTERED AT 15:36:23 ON 31 MAR 2003 FILE 'CAPLUS' ENTERED AT 15:36:24 ON 31 MAR 2003 FILE 'REGISTRY' ENTERED AT 15:39:04 ON 31 MAR 2003 E C.I. 77310/CN L8 1 S E3 => s 12 or 13 or 18 3 L2 OR L3 OR L8 => file caplus SINCE FILE TOTAL ENTRY SESSION 7.10 49.65

COST IN U.S. DOLLARS FULL ESTIMATED COST DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL SESSION ENTRY CA SUBSCRIBER PRICE 0.00 -1.95

FILE 'CAPLUS' ENTERED AT 15:40:56 ON 31 MAR 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Mar 2003 VOL 138 ISS 14 FILE LAST UPDATED: 30 Mar 2003 (20030330/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 19 and cellulose

92 L9 300810 CELLULOSE

```
=> s 19 and lyocell
            92·L9
           495 LYOCELL
             0 L9 AND LYOCELL
L11
=> s 19 and (rayon or paper or cotton)
            92 L9
         33866 RAYON
        549886 PAPER
        101483 COTTON
             3 L9 AND (RAYON OR PAPER OR COTTON)
L12
=> d 1-3 all
    ANSWER 1 OF 3 CAPLUS COPYRIGHT 2003 ACS
T<sub>1</sub>12
     2001:115354 CAPLUS
ΑN
     134:179874
DN
     Colored cellulosic shaped bodies
ΤI
     Ruf, Hartmut
ΙN
     Lenzing Aktiengesellschaft, Austria
PA
     PCT Int. Appl., 18 pp.
SO
     CODEN: PIXXD2
DT
     Patent
LΑ
     German
     ICM D01F002-00
IC
     ICS D01F001-04; C08J005-18; C08L001-02; C08K003-00; C08L001-02
     40-6 (Textiles and Fibers)
CC
     Section cross-reference(s): 37
FAN.CNT 1
                                           APPLICATION NO. DATE
                     KIND DATE
     PATENT NO.
                            _____
                                           _____
     _____ ___
                                          WO 2000-AT216
                            20010215
                                                             20000808
     WO 2001011121
                      A1
PΙ
         W: AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR,
             CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
             ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
             LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD,
             SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU,
             ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
             CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                          20001215 AT 1999-1376
                                                             19990810
     AT 9901376
                       Α
                                           BR 2000-13144
                                                             20000808
                            20020430
     BR 2000013144
                       Α
                            20020619
                                                             20000808
                                           EP 2000-951090
                       A1
     EP 1214463
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL
                                          NO 2002-655
                                                             20020208
                            20020208
     NO 2002000655
                      A
                                            US 2002-71723
                                                             20020208
                       A1
                            20021219
     US 2002189035
PRAI AT 1999-1376
                       A
                             19990810
                             20000808
     WO 2000-AT216
                       W
     The invention relates to novel colored cellulosic shaped bodies, esp.
AΒ
     fibers or films, that comprise a colorant that contains heavy metals and
     which decreases the increase in temp. of a soln. of cellulose in a
     tertiary amine oxide due to the exothermicity of the dissoln. to
     .ltoreq.10.degree. as detd. by the Sikarex thermostability test, so as to
     prevent degrdn. of the products.
     rayon bulk coloring heavy metal pigment; degrdn prevention
     coloring regenerated cellulose; cellophane coloring heavy metal pigment
IT
     Cellophane
     Coloring
```

1 L9 AND CELLULOSE

Pigments, nonbiological

L10

```
56 REFERENCES IN FILE CA (1962 TO DATE)
              56 REFERENCES IN FILE CAPLUS (1962 TO DATE)
     ANSWER 3 OF 3 REGISTRY COPYRIGHT 2003 ACS
L4
     475-71-8 REGISTRY
RN
     Benzo[h]benz[5,6]acridino[2,1,9,8-klmna]acridine-8,16-dione (9CI) (CA
CN
     INDEX NAME)
OTHER CA INDEX NAMES:
     Flavanthrone (6CI, 7CI, 8CI)
OTHER NAMES:
     C.I. 70600
CN
     C.I. Pigment Yellow 112
CN
     C.I. Pigment Yellow 24
CN
CN
     C.I. Vat Yellow 1
     Caledon Paper Yellow GN
CN
     Caledon Printing Yellow GN
CN
     Caledon Yellow GN
CN
     Carbanthrene Printing Yellow G
CN
     Carbanthrene Yellow G
CN
     Cibanone Yellow FGN
CN
     Cromophtal Yellow A 2R
CN
CN
     Flavanthrene
     Flavanthrone Yellow
CN
     Indanthren Yellow G
CN
     Indanthren Yellow GLP
CN
     Indanthrene Yellow G
CN
     Indo Yellow Y 35
CN
     Indofast Yellow
CN
CN
     Indofast Yellow Toner
     Mikethrene Yellow G
CN
     Monolite Fast Yellow FR
CN
     Monolite Fast Yellow FRS
CN
     Monolite Yellow FR
CN
     Palanthrene Yellow G
CN
CN
     Paliogen Yellow 1870
CN
     Paliogen Yellow L 1870
CN
     Paradone Yellow G New
     Pigment Yellow 24
CN
CN
     Ponsol Yellow G
     Ponsol Yellow GD
CN
     Romantrene Yellow FG
CN
CN
     Sandothrene NGN
CN
     Sandothrene Yellow GN
     Sandothrene Yellow NG
CN
     Solanthrene Yellow J
CN
     Tinon Yellow GN
CN
     Tyrian Yellow I-G
CN
CN
     Vat Yellow 1
FS
     3D CONCORD
DR
     82601-32-9, 52907-35-4
     C28 H12 N2 O2
MF
CI
     COM
     STN Files: AGRICOLA, BEILSTEIN*, CA, CAOLD, CAPLUS, CHEMCATS, CHEMLIST,
LC
       CIN, CSCHEM, IFICDB, IFIPAT, IFIUDB, MSDS-OHS, SPECINFO, TOXCENTER,
       USPATFULL
```

(*File contains numerically searchable property data)

(**Enter CHEMLIST File for up-to-date regulatory information)

Other Sources: DSL**, EINECS**, TSCA**

STRUCTURE DIAGRAM IS NOT AVAILABLE """

```
ANSWER 1 OF 3 REGISTRY COPYRIGHT 2003 ACS
L4
     68412-38-4 REGISTRY
RN
     C.I. Pigment Yellow 164 (9CI) (CA INDEX NAME)
CN
OTHER NAMES:
     C.I. 77899
CN
     Cerdec Brown 10364
CN
     Ferro Brown PK 6086
CN
     Igacolor Brown 10364
CN
     Manganese antimony titanium buff rutile
CN
     Pigment Yellow 164
CN
     Sicotan Brown K 2711
CN
DEF An inorganic pigment that is the reaction product of high temperature
     calcination in which antimony oxide, manganese (II) oxide, and titanium
     (IV) oxide in varying amounts are homogeneously and ionically
     interdiffused to form a crystalline matrix of rutile. Its composition
may
     include any one or a combination of the modifiers Al203, Cr203, WO3, or
     ZnO. This substance is identified in the COLOUR INDEX by Colour Index
     Constitution Number, C.I. 77899.
     Unspecified
MF
CI
     MAN
                  CA, CAPLUS, CHEMLIST, MSDS-OHS, TOXCENTER, ULIDAT, USPATFULL
LC
     STN Files:
     Other Sources:
                     DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
               7 REFERENCES IN FILE CA (1962 TO DATE)
               7 REFERENCES IN FILE CAPLUS (1962 TO DATE)
     ANSWER 2 OF 3 REGISTRY COPYRIGHT 2003 ACS
T.4
     8007-18-9 REGISTRY
RN
                                        (CA INDEX NAME)
     C.I. Pigment Yellow 53 (8CI, 9CI)
CN
OTHER NAMES:
CN
     Antimony nickel titanium oxide yellow
CN
     C.I. 77788
CN
     Cerdec Yellow 10401
     Daipyroxide Yellow 9121
CN
     Ferro Yellow V 9400
CN
CN
     Irgacolor Yellow 10401
     Levanox Light Yellow 100A
CN
     Light Yellow 7G
CN
     Light Yellow 8G
CN
     Nickel antimony titanate yellow
CN
     Nickel antimony titanium yellow rutile
CN
     Nickel Titanate Yellow V 9400
CN
CN
     NV 9112S
CN
     Pigment Yellow 53
     Sicotan Yellow K 1011
CN
     Titanate Yellow
CN
     This substance is identified in the COLOUR INDEX by Colour Index
     Constitution Number, C.I. 77788.
DR
     12227-91-7, 71077-18-4, 90552-50-4
MF
     Unspecified
CI
     MAN
                  CA, CAPLUS, CHEMLIST, CIN, MEDLINE, MSDS-OHS, NIOSHTIC,
LC
     STN Files:
       PROMT, TOXCENTER, ULIDAT, USPATFULL
     Other Sources:
                      DSL**, EINECS**, TSCA**
          (**Enter CHEMLIST File for up-to-date regulatory information)
```

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS
     1345-16-0 REGISTRY
RN
CN
     C.I. Pigment Blue 28 (9CI) (CA INDEX NAME)
OTHER NAMES:
CN
     C.I. 77346
CN
     Cerdec Blue 10336
CN
     Cobalt aluminate blue spinel
CN
     Cobalt blue
CN
     Cobalt Blue 204
CN
     Cobalt Blue 37S
CN
     Cobalt Blue 660
     Cobalt Blue C
CN
     Cobalt Blue Medium
CN
CN
     Daipyroxide Blue 9410
CN
     Daipyroxide Blue 9450
     Daipyroxide Blue 9452
CN
CN
     Daipyroxide Blue 9453
CN
     Drakenfeld 10336 Blue
CN
     Ferro 42-250A
CN
     Ferro Blue 42-250A
CN
     Ferro Blue NF 250P
CN
     Ferro Blue PK 5091
CN
     Ferro Dark Red Blue
CN
     Ferro Light Blue
CN
     Ferro Medium Red Blue
CN
     Ferro V 3285
CN
     Igacolor Blue 10336
CN
     King's Blue
CN
     Leyden Blue
CN
     Matt Blue
     NF 6279
CN
     Pigment Blue 28
CN
CN
     Pigment Cobalt Blue
CN
     Shepherd Blue 214
CN
     Sicopal Blue K 6310
CN
     Thenard's blue
    An inorganic pigment that is the reaction product of high temperature
     calcination in which cobalt (II) oxide and aluminum oxide in varying
     amounts are homogeneously and ionically interdiffused to form a
     crystalline matrix of spinel. Its composition may include any one or a
     combination of the modifiers MgO, ZnO, Li2O, or TiO2.
     68186-86-7, 160936-12-9
DR
MF
     Unspecified
CI
     COM, MAN
LC
                  BIOBUSINESS, BIOSIS, CA, CAPLUS, CHEMCATS, CHEMLIST, CIN,
     STN Files:
       CSCHEM, CSNB, IFICDB, IFIPAT, IFIUDB, MSDS-OHS, NIOSHTIC, PIRA,
       TOXCENTER, ULIDAT, USPAT2, USPATFULL
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
             311 REFERENCES IN FILE CA (1962 TO DATE)
```

311 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
(coloring of regenerated cellulose fibers and films with heavy
       metal-contg. pigments that prevent thermal degrdn.)
ΙT
    Rayon, processes
    RL: PEP (Physical, engineering or chemical process); PROC (Process)
        (coloring of regenerated cellulose fibers and films with heavy
       metal-contg. pigments that prevent thermal degrdn.)
ΙT
    Heavy metals
    RL: NUU (Other use, unclassified); USES (Uses)
        (oxide pigments contg.; coloring of regenerated cellulose fibers and
       films with heavy metal-contg. pigments that prevent thermal degrdn.)
     1345-16-0, C.I. Pigment Blue 28
ΙT
    RL: NUU (Other use, unclassified); USES (Uses)
        (Sicopal Blue K 6310; coloring of regenerated cellulose fibers and
        films with heavy metal-contg. pigments that prevent thermal degrdn.)
     68412-38-4, C.I. Pigment Yellow 164
ΙT
     RL: NUU (Other use, unclassified); USES (Uses)
        (Sicotan Brown K 2711; coloring of regenerated cellulose fibers and
        films with heavy metal-contg. pigments that prevent thermal degrdn.)
     68186-90-3, C.I. Pigment Brown 24
ΙT
     RL: NUU (Other use, unclassified); USES (Uses)
        (Sicotan Yellow K 2011; coloring of regenerated cellulose fibers and
        films with heavy metal-contg. pigments that prevent thermal degrdn.)
     8007-18-9, Sicotan Yellow K 1011
ΙT
     RL: NUU (Other use, unclassified); USES (Uses)
        (coloring of regenerated cellulose fibers and films with heavy
        metal-contq. pigments that prevent thermal degrdn.)
     12068-51-8, Aluminum magnesium oxide (MgAl2O4) 13463-67-7, Titania,
IT
uses
     RL: NUU (Other use, unclassified); USES (Uses)
        (heavy metal-doped; coloring of regenerated cellulose fibers and films
        with heavy metal-contg. pigments that prevent thermal degrdn.)
     7439-96-5, Manganese, uses 7440-02-0, Nickel, uses 7440-36-0,
IT
                    7440-47-3, Chromium, uses 7440-48-4, Cobalt, uses
     Antimony, uses
     RL: NUU (Other use, unclassified); USES (Uses)
        (oxide pigments contg.; coloring of regenerated cellulose fibers and
        films with heavy metal-contg. pigments that prevent thermal degrdn.)
             THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 3
RE
(1) Akzo Nobel Nv; WO 9627638 A 1996 CAPLUS
(2) Chemiefaser Lenzing Ag; WO 9627035 A 1996 CAPLUS
(3) Ruef Hartmut; WO 9858015 A 1998 CAPLUS
L12 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2003 ACS
     1995:283251 CAPLUS
ΑN
     122:33612
DN
     Color-transforming art medium compositions
TI
     Smith, Donald A.
IN
PΑ
     USA
SO
     U.S., 6 pp.
     CODEN: USXXAM
DT
     Patent
LA
     English
ΙC
     ICM C09D011-02
NCL
     106-20A
     42-6 (Coatings, Inks, and Related Products)
     Section cross-reference(s): 57
FAN.CNT 1
                                          APPLICATION NO. DATE
     PATENT NO.
                     KIND DATE
                           _____
                                           _____
     -----
                    A
     US 5340387
                                          US 1992-840794 19920224
                            19940823
PΙ
                            19920224
PRAI US 1992-840794
     Color-transforming art medium compns. are disclosed herein useful in fine
     art to produce color changes after heating and in industrial fields as to
     indicate painted substrates becoming too hot. Spectrally transforming
```

and paint compns. comprising one or more spectral elements mixed in a 3%

ink

```
to 50% ratio by vol. with a pigmented ink or paint art vehicle. The
    spectral elements comprising various types of ceramic colorant agents.
    The art medium compn. produced is then applied to the surface of a
    suitable substrate, such as metal, glass or paper. The
    substrate and compn. is then heated or fired at a relatively high temp.
    during which the substrate and ink or paint compn. undergo partial or
    complete oxidn. A typical medium contained 3 parts Fe oxide red and 4
    parts C.I. Pigment Blue 15-contg. lithog. ink.
    thermal color transforming art media; heat indicator color transforming
ST
    media; ink art thermal color transforming; paint art thermal color
    transforming; iron oxide red contg color media; ceramic pigment contg
     color transforming media
     Thermochromic substances
ΙT
        (thermal color-transforming fine and industrial inks and paints)
     Carbon black, uses
ΤT
     RL: TEM (Technical or engineered material use); USES (Uses)
        (thermal color-transforming fine and industrial inks and paints)
IT
     Charcoal
     RL: TEM (Technical or engineered material use); USES (Uses)
        (bone, ivory black; thermal color-transforming fine and industrial
inks
        and paints)
ΙT
     Inks
        (lithog., thermal color-transforming fine and industrial inks and
        paints)
     Coating materials
ΙT
        (paints, thermal color-transforming fine and industrial inks and
        paints)
     104074-25-1, C.I. Pigment Red 83
ΙT
     RL: TEM (Technical or engineered material use); USES (Uses)
        (Alizarin Crimson; thermal color-transforming fine and industrial inks
        and paints)
     13515-40-7, C.I. Pigment Yellow 73
IT
     RL: TEM (Technical or engineered material use); USES (Uses)
        (Arylide Yellow GX; thermal color-transforming fine and industrial
inks
        and paints)
     79953-85-8, C.I. Pigment Yellow 128
IT
     RL: TEM (Technical or engineered material use); USES (Uses)
         (Chromophtal Yellow 8GN; thermal color-transforming fine and
industrial
        inks and paints)
     5280-78-4, C.I. Pigment Red 144
ΙT
     RL: TEM (Technical or engineered material use); USES (Uses)
         (Chromophthal Red BRN; thermal color-transforming fine and industrial
         inks and paints)
      68808-69-5, C.I. Pigment Orange 66
TТ
     RL: TEM (Technical or engineered material use); USES (Uses)
         (Irgazin Orange; thermal color-transforming fine and industrial inks
         and paints)
      68186-85-6, C.I. Pigment Green 50
 IT
     RL: TEM (Technical or engineered material use); USES (Uses)
         (Light Green Oxide; thermal color-transforming fine and industrial
 inks
         and paints)
      6471-51-8, C.I. Pigment Red 7
 IT
      RL: TEM (Technical or engineered material use); USES (Uses)
         (Permanent Crimson; thermal color-transforming fine and industrial
 inks
         and paints)
                                        71819-77-7, C.I. Pigment Red 207
      3573-01-1, C.I. Pigment Red 209
 ΙT
      RL: TEM (Technical or engineered material use); USES (Uses)
         (Quinacridone red; thermal color-transforming fine and industrial inks
         and paints)
      81-77-6, C.I. Pigment Blue 60 147-14-8, C.I. Pigment Blue 15
```

471-34-1,

```
C.I. Pigment Violet 19 1303-86-2, Boric oxide, uses 1304-28-5, Barium oxide, uses 1304-76-3, Bismuth oxide (Bi203), uses 1305-78-8, Calcium
     oxide, uses 1306-19-0, Cadmium oxide, uses 1308-38-9, Chromium oxide
     (Cr2O3), uses 1309-37-1, Iron oxide red, uses 1309-48-4, Magnesium
     oxide (MgO), uses 1313-59-3, Sodium oxide, uses 1313-99-1, Nickel
     oxide, uses 1314-11-0, Strontium oxide, uses 1314-13-2, Zinc oxide,
     uses 1314-23-4, Zirconium oxide, uses 1317-80-2, Rutile
                                                                       1319-46-6,
     C.I. Pigment White 1 1328-53-6, C.I. Pigment Green 7
                                                                  1332-29-2, Tin
     oxide 1332-73-6, C.I. Pigment White 24 1335-25-7, Lead oxide
     1344-28-1, Aluminum oxide, uses 1344-37-2, C.I. Pigment Yellow 34
     1344-48-5, C.I. Pigment Red 106 1344-70-3, Copper oxide
                                                                     1344-98-5,
     Terre verte 1345-05-7, Lithopone 1345-16-0, Cobalt blue 1345-27-3,
                            2425-85-6, C.I. Pigment Red 3 2512-29-0, Arylide
     C.I. Pigment Brown 7
     Yellow G 3905-19-9, C.I. Pigment Red 166 4051-63-2, C.I. Pigment Red
         4378-61-4, C.I. Pigment Red 168 4424-06-0, Perinone orange
     5045-40-9, Isoindolinone yellow 5590-18-1, C.I. Pigment Yellow 110
     6358-30-1, Dioxazine violet 6410-38-4, C.I. Pigment Red 9
                                                                      6424-77-7,
     C.I. Pigment Red 190 6486-23-3, C.I. Pigment Yellow 3 6535-46-2, C.I.
     Pigment Red 112 7440-36-0, Antimony, uses 7492-68-4, Copper carbonate
     7631-86-9, Silicon oxide, uses 7727-43-7, C.I. Pigment White 21
     8007-18-9, C.I. Pigment Yellow 53 8011-87-8, Cobalt green
     8012-00-8, Naples Yellow 8046-59-1, Manganese blue 10101-56-1, C.I.
     Pigment Violet 14 10101-66-3, C.I. Pigment Violet 16 10294-40-3, C.I. Pigment Yellow 31 11099-11-9, Vanadium oxide 11104-61-3, Cobalt oxide
     11118-57-3, Chromium oxide 11129-18-3, Cerium oxide 11129-60-5, Manganese oxide 12001-99-9, Viridian 12136-45-7, Potassium oxide,
uses
     12227-89-3, C.I. Pigment Black 11
                                          12240-15-2, Prussian blue
     12626-36-7, Cadmium selenide sulfide (Cd(Se,S)) 12640-86-7, Phosphorus oxide 12645-46-4, Iridium oxide 12769-96-9, Ultramarine violet 13463-67-7, Titanium oxide (TiO2), uses 13782-01-9, C.I. Pigment Yellow
          20667-12-3, Silver oxide 37300-23-5, Zinc Yellow 51931-46-5,
     Nickel azo yellow 57455-37-5, Ultramarine blue 58339-34-7, Cadmium
red
     64294-91-3, C.I. Pigment Yellow 43 68859-25-6, C.I. Pigment Yellow 37
     83712-59-8, Cerulean blue 91315-44-5, C.I. Pigment White 4
     RL: TEM (Technical or engineered material use); USES (Uses)
        (thermal color-transforming fine and industrial inks and paints)
L12 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2003 ACS
     1983:523772 CAPLUS
AN
     99:123772
DN
ΤI
     Suede leather substitutes
     Kyowa Leather Cloth Co., Ltd., Japan
PA
     Jpn. Kokai Tokkyo Koho, 5 pp.
SO
     CODEN: JKXXAF
DT
     Patent
     Japanese
LΑ
IC
     D06N003-00
ICA B32B005-24
     38-3 (Plastics Fabrication and Uses)
     Section cross-reference(s): 42
FAN.CNT 1
                             DATE
                                             APPLICATION NO. DATE
                       KIND DATE
     PATENT NO.
                       ----
                                             _____
     _____
     JP 58041974 A2
JP 01052513 B4
                                             JP 1981-136284 19810831
                              19830311
PΙ
                     B4
                              19891109
                              19810831
PRAI JP 1981-136284
     A suede leather substitute, with a decorative pattern resistant to
     scratches and friction, is prepd. by (1) printing a substrate with 1 or
     .gtoreq.2 different color-tone foamable colored coating materials) in a
     pattern, (2) coating with a foamable resin, with different color tone
from
     that in 1, (3) foaming 1 and 2 coatings simultaneously by heating, and
(4)
```

C.I. Pigment White 18, uses 475-71-8, Flavanthrone yellow 1047-16-1,

grinding the surface. Thus, a mixt. of PVC (I) [9002-86-2] (for paste) 100, dioctyl phthalate (II) 60, chlorinated paraffin 8, stabilizer 3, blowing agent AZ-H (III) 5, filler 30, and Sb2O3 5 parts, contg. TiO2 9, iron oxide brown 0.5, and carbon black 0.1 part was screen printed on a 80 g/m2 paper to 200 .mu. and gelled by heating. The mixt. contg. 10 parts TiO2 was coated (as process 2) on the printed paper to 200 .mu., gelled, and heated to foam and give a 1.2-mm-thick coating, of which surface was ground to give a 1-mm-thick suede-leather substitute. leather suede substitute; PVC cellular coating paper; STpaper leather substitute Carbon black, uses and miscellaneous IT RL: USES (Uses) (PVC coatings, contg., in suedelike leather substitutes, with patterns resistant to scratches and friction) Coating materials ΙT (PVC, for suede leather substitutes) Leather substitutes ΙT (suede, PVC cellular coatings for, with scratch- and friction-resistant patterns) 8007-18-9 IΤ RL: USES (Uses) (PVC coatings contg., in suedelike leather substitutes, with patterns resistance to scratch and friction) 9002-86-2 IT RL: USES (Uses) (coatings, cellular, in seudelike leather substitutes with patterns with scratch and friction resistance) ΙT 13463-67-7, uses and miscellaneous RL: USES (Uses) (pigments, PVC coatings contg., in suedelike leather substitutes, with patterns resistance to scratches and friction) 1332-37-2, uses and miscellaneous ΙT RL: USES (Uses) (white pigments, PVC coatings contg., in suedelike leather substitutes, with patterns resistance to scratch and friction)